

DELUXE LEVER ACTION GREASE GUN

A grease gun is a common workshop and garage tool used for lubrication. The purpose of the grease gun is to apply lubricant through an aperture to a specific point, usually from a grease cartridge to a grease fitting or 'nipple'.

- Heavy duty steel head
 - Air bleeder valve & bulk loading facility
 - Available with Fixed/Flexible hose with coupler
- A) Standard Model with 5000 PSI pressure
B) Professional Model with 10,000 PSI pressure

Finishes Available:

POWDER
COATED

JCBL-4001

Size in (CC)
445



LEVER ACTION GREASE GUN - ECONOMY MODEL

- Heavy duty steel head
- Available with Fixed/Flexible hose with coupler
- Air bleeder valve & bulk loading facility

Finishes Available:

POWDER
COATED



JCBL-4002

Size in (CC)
445

GREASE GUN PUSH TYPE

Push type grease guns for use with bulk grease only Compact tool box size Steel body fitted with universal connector Ideal for greasing of impact wrenches, chain saws, trailers, pallet trucks etc.

- Available with Fixed Spout

JCBL-4003

Sizes in (OZ)
4, 8



Finishes Available:

POWDER
COATED

SUCTION GUN

Suction guns provide a fast and clean method for removing and filling non-corrosive oils such as oil in gear cases, transmission oil, and other applications and therefore can be used for transmissions, differentials, gear cases, clutches, and crankcases, etc.

Sheet metal body with 12" plastic tube hold upto 18 ounces of fluid.



JCBL-4004

Size in (CC)
500

HIGH PRESSURE OIL CAN - WESCO TYPE

An oil can (oilcan or oiler) is a can that holds oil (usually motor oil) for lubricating machines. An oil can also be used to fill oil-based lanterns. An occupation, referred to as an oiler, can use an oil can (among other tools) to lubricate machinery.

Sheet metal body
Available with:
(A) Rigid Hose
(B) Flexible Hose



JCBL-4005

Sizes in (PINT)
1/4, 1/2, 3/4, 1, 1.1/2, 2

Finishes Available:

METALLIC

NON
METALLIC

HIGH PRESSURE OIL CAN - PERFETTO TYPE

Sheet metal body
Available with:
(A) Rigid Hose
(B) Flexible Hose
Also Available in Brass Pump

Finishes Available:

METALLIC

NON
METALLIC



JCBL-4006

Sizes in (CC)
200, 300, 400, 500, 700, 1000

FLEXIBLE HOSE WITH HYDRAULIC COUPLER

Zinc plated steel connections with or without spring guard
(A) 6" Rigid hose with coupler
(B) Flexible hose with coupler
(C) Flexible hose without coupler



JCBL-4007

Sizes in (INCHES)
12 to 18

HEAVY DUTY COUPLER

Designed to meet the pressure requirement of grease gun
Four jaw coupler
Three jaw coupler
45° & 90° coupler
Straight coupler

Finishes Available:

CHROME

ZINC
PLATED

JCBL-4008



HIGH PRESSURE OIL CAN - PISTOL TYPE

Sheet metal body
Available with:
(A) Rigid Hose
(B) Flexible Hose

Finishes Available:

METALLIC

NON
METALLIC



GREASE GUN PISTOL TYPE

Pistol-grease guns are good for use in close-clearance areas. Using just one hand, grease is pumped via a simple squeeze. Pistol-grip guns typically dispense less grease per stroke than a standard two-handed lever gun.

Develops upto 6000 PSI

Easy one hand operated

Side port for bulk loader or air bleeder

6" steel extension or 12" flexible hose with jaw type coupler as per order.

Lock Lever mechanism for easlier loading & bleeding

For use with 14oz (400gms) grease cartridge of 500cc

Bulk grease

JCBL-4010

Capacity in (OZ)

16

Capacity in (CC)

500

GREASE GUN PISTOL TYPE - MICRO

Develops upto 3000 PSI

Easy one hand operation

Heavy constructed steel painted body

JCBL-4011

Capacity in (OZ)

3

Capacity in (CC)

90

JCBL-4009

Size in (CC)

125




JCBL India

**CAULKING GUN -
SKELETON TYPE**

Caulk guns are devices that help people use caulk, a type of sealant, effectively.

- Heavy Steel Body



JCBL-4012

Size in (INCHES)
9

**CAULKING GUN -
HALF ROUND**

Heavy Steel Body



JCBL-4013

Size in (INCHES)
9

**BUCKET GREASE PUMP -
WITH TROLLEY**

Grease pump designed for quick & effortless greasing in applications requiring large volume of lubrication everyday For use with agricultural equipment, excavators & other earth moving equipment & in automotive applications.

- Lever operated pump
- Quick & Easy openable cover
- Removable Handle
- Working Pressure upto 4000 PSI

JCBL-4014

Capacity in (KGS)
5, 10, 15, 20



Also Available
without trolley

ROTARY BARREL PUMP

Hand Operated Barrel Pump is used for transferring non-corrosive petroleum based fluids of light to medium viscosity and other viscous and semi-viscous products.



JCBL-4015

SIZE	DESCRIPTION	SUCTION TUBE
3/4"	STD.	RIGID
1"	STD.	RIGID
1"	STD. with flexible hose 1 Mtr.	TELESCOPIC PIPE
1"	STD. without flexible hose	TELESCOPIC PIPE
1.5"	STD.	RIGID